EZ ROLLER SPINNERTM UNIVERSAL WHEEL

EZ Universal Wheels BV

Phone : +31 611280060 Email: sales@universal-wheels.com Web: www.universal-wheels.com



EZ ROLLER - SPINNER

WITH PRE-INSTALLED SPINNER RING AND WEDGE NUTS

EZ ROLLER SPINNER 4/5

(With spinner ring and wedge-nuts pre-installed)

Specifications

Part# Dimention: Weight: Max Load Recomended: 1.050 kg Center Bore: **Bolt Pattern:**

40050PW 22" x 2.5" 18 kg . 74.1 mm 4x98 to 4x114.3 5x98 to 5x130





EZ ROLLER SPINNER 5/6

(With spinner ring and wedge-nuts pre-installed)

Specifications

| Part# | 40060PW |
|----------------------|--------------------|
| Dimention: | 22″ x 2.5″ |
| Weight: | 18 kg |
| Max Load Recomended: | 1.050 kg |
| Center Bore: | 93.1 mm |
| Bolt Pattern: | 5x114.3 to 5x130 |
| | 6x114.3 to 6x139.7 |



ADDITIONAL

These includes: Pre-installed Spinner-ring 10 Hex bolts 10 Wedge nuts

Provides ability to push or pull vehicles with no power or stuck in

- park onto a tow truck or into a service bay Heavy duty 10mm steel center, universal 4/5, 5/6 & 5/8 bolt pattern, capable of handling high impact wrenches, preventing over-torquing
- Fastening system is 60° cone seat which enables most OEM bolts
 and nuts to fit
- No spacers or washers required.
 Works on all FWD, AWD and RWD vehicles
- Solid TPU tire, has superior traction on any surface
 Handles asphalt, uneven surfaces, downhill or uphill inclines
- effectively

Lightweight thermoplastic material; easy to pick up
 Simple to use - Our hub easily bolts onto the vehicle hub in less

- than a minute Easily rolls forward or backwards on uneven surfaces, gravel,
- cracks, lips, lifts and outdoors Superior traction
- Spinning action makes the vehicle easy to push Works independently of vehicle's braking system

• Much easier to use than the 2-step hub & wheel solution. Hub and wheel solution is too wide to push the car onto a hydraulic lift



EZ ROLLER A UNIVERSAL THERMOPLASTIC WHEEL

Driveable universal wheel to move vehicles without wheels and tires around in collision shops, tire stores, dealerships, auctions, boat storage lots, auto restoration shops, wheel repair companies and is a useful tool for teheft recovery for towing companies.



EZ ROLLER

4/5 LUG UNIVERSAL BOLT PATTERN

| Specifications | |
|----------------------|-------------------|
| Part# | 40020 |
| Dimention: | 22″ x 2.5″ |
| Weight: | 18 kg. |
| Max Load Recomended: | 1.050 kg. |
| Center Bore: | 74.1 mm |
| Bolt Pattern: | 4 x 98 to 5 x 130 |
| Speed Rating: | 8 km/h |



EZ ROLLER

5/6 LUG UNIVERSAL BOLT PATTERN

| 40030 |
|----------------------|
| 22″ x 2.5″ |
| 18 kg |
| 1.050 kg |
| 93.1 mm |
| 5 x 118 to 6 x 139.7 |
| 8 km/h |
| |

- Lightweight thermoplastic material; easy to pick up
- Heavy duty 10mm steel center, universal 4/5 & 5/6 bolt pattern, capable of handling high impact wrenches, preventing over-torquing
- No spacers or washers required
- Solid TPU tire, has superior traction on any surface
- Fastening system is 60° cone seat which enables most OEM bolts and nuts to fit
- Built in spacers with large brake caliper clearance capabilities, including Brembo brake calipers
- Shop and parking lot drivable at 8 km/h
- Works in conjunction with vehicle's braking system




ACCESSORIES



EZ MOBILE WORK STATION

Part #50010

Holds up to 8 roller-spinner wheels, chocks, ramps and has a multi bin container for wedge nuts, bolts and tools.



EZ RAMPS

Part # 50025 Helpful tool when a shop requires additional height when repairing a low profile vehicle.



EZ Chucks

Part # 50020 Keep vehicle secure in place when using the spinner wheel



ACCESSORIES



EZ WEDGE NUTS

Part #: 40090 Material : Made from TPU Flange bolt size M8 Package included: 12 wedge nuts with 12 bolts



SPINNER RING WITH MOUNTING SCREWS

| ITEM NAME | DESCRIPTION |
|-----------|---|
| 40050 | Spinner Ring with 4 mounting screws |
| 40060 | Spinner Ring with 4 mounting screws |
| 60020 | Spinner Bolts - Extra Bolts (4 pcs. per pack) |



FLANGE HEX BOLTS

Part # : 60030 Material: High quality stainless steel Flange diameter: 12 mm Thread size: M8 Length: 55 mm Package included: 12 pcs.



ACCESSORIES



HUB RINGS

(Pack of 20 Hub Rings)

Hub centric rings are made of corrosion resistant polycarbonate plastic. These hub rings will reduce or eliminate any vibrations and make the wheel easier to mount. Package contains 20 different sizes of hub centric rings.

| PART# | HUB RINGS SIZE/ COLOR |
|-------|-----------------------|
| FZ11 | 74.1 /52.1 |
| FZ12 | 74.1 /54.1 |
| FZ13 | 74.1 /56.1 |
| FZ14 | 74.1 /56.6 |
| FZ15 | 74.1 /57.1 |
| FZ16 | 74.1 /58.1 |
| FZ17 | 74.1 /58.6 |
| FZ18 | 74.1 /59.1 |
| FZ19 | 74.1 /59.6 |
| FZ20 | 74.1 /60.1 |
| FZ21 | 74.1 /64.1 |
| FZ22 | 74.1 /63.4 |
| FZ23 | 74.1 /65.1 |
| FZ24 | 74.1 /66.1 |
| FZ25 | 74.1 /66.6 |
| FZ26 | 74.1 /67.1 |
| FZ27 | 74.1 /70.2 |
| FZ30 | 74.1 /70.3 |
| FZ28 | 74.1 /71.6 |
| FZ29 | 74.1 /72.6 |



TUNER LUG BOLTS (Pack of of 5)

| PART # | SIZE |
|----------|-----------|
| VST20B28 | 12 x 1.25 |
| VST20A28 | 12 x 1.5 |
| VST20F27 | 14 x 1.25 |
| VST20D28 | 14 x 1.5 |
| G17015 | 15 x 1.25 |

TUNER LUG NUTS

(Pack of of 5)

| PART # | SIZE |
|--------|-----------|
| DST20B | 12 x 1.25 |
| DST20A | 12 x 1.5 |
| DST20D | 14 x 1.5 |
| DST20E | 1/2 UNF |

